SAFETY DATA SHEET

NOVADAN®

IPA Sprit 70% (wipes)

NOVADAN®

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier	
Revision date	12.04.2021
Date issued	07.02.2012

1.1. Product identifier

Product name	IPA Sprit 70% (wipes)
UFI	E5W1-40TQ-E00T-MHN8
Article no.	12344, 26193

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group	Disinfectant.
Main intended use	PP-BIO-1 Biocidal products for human hygiene
Relevant identified uses	SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU4 Manufacture of food products SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen) PC8 Biocidal Products (e.g. Disinfectants, pest control) PROC11 Non-industrial spraying PROC19 Manual activities involving hand contact. ERC8B Wide dispersive indoor use of reactive substances in open systems
Uses advised against	No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Producer

Company name	Novadan ApS
Postal address	Platinvej 21
Postcode	DK-6000
City	Kolding
Country	Danmark
Telephone number	+ 45 76 34 84 00

Emergency telephone

Fax	+ 45 75 50 43 70
Email	sds@novadan.dk
Website	www.novadan.dk

1.4. Emergency telephone number

Description: UK: NHS: 111 EI: National Poisons Information Centre, 24/7: 01 809 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to	Flam. Liq. 2; H225; Calculation method
Regulation (EC) No 1272/2008	
[CLP / GHS]	
Substance / mixture hazardous	For further information, please refer to section 11.
properties	

2.2. Label elements

Hazard pictograms (CLP)

Composition on the label	Ethanol, Propan-2-ol
Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapour.
Precautionary statements	P210 Keep away from heat / sparks / open flames / hot surfaces. – No smoking. P403+P233 Store in a well-ventilated place. Keep container tightly closed.
Supplemental label information	For professional users only. Read attached instructions before use.
Other EU labelling requirements	Ethanol 610 g/kg (61 w/w %), Propan-2-ol <100 g/kg (<10 w/w %)
2.3. Other hazards	
Hazard description, general	The product is highly flammable and may be ignited even after short contact with an ignition source.
Health effect	Splashes in the eyes may cause redness and irritation. In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
Environmental effects	This product does not contain any PBT or vPvB substances.
Other hazards	No evidence for endocrine disrupting properties.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Wipes containing:				
Ethanol	CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH Reg. No.: 01-2119457610-43-xxxx	Flam. Liq. 2; H225	60 – 80 %	
Propan-2-ol	CAS No.: 67-63-0 EC No.: 200-661-7 Index No.: 603-117-00-0 REACH Reg. No.: 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	< 10 %	
Substance comments	opløsningsmidler. Regulation (EC) N 31 March 2004 on >60% Disinfectant	detergents:	Parliament and of the Coun	cil of

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Remove affected person from source of contamination.
Inhalation	Fresh air. Get medical attention if any discomfort continues.
Skin contact	Rinse with water. Contact physician if discomfort continues.
Eye contact	Immediately rinse with water for several minutes. Make sure to remove any contact lenses from the eyes before rinsing. Contact physician if irritation persists.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if any discomfort continues.
Recommended personal protective equipment for first aid responders	Wear necessary protective equipment. For personal protection, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	Eye contact may cause: May irritate and cause redness and pain.
Delayed symptoms and effects	Inhalation of high vapour concentrations may cause symptoms such as mild irritation, headache, dizziness, fatigue, nausea and in serious cases
	unconsciousness.

4.3. Indication of any immediate medical attention and special treatment needed

Other information	If unconscious: Call an ambulance/physician immediately. Show this Safety Data
	Sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Improper extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	The product is flammable, and heating may generate vapours which may form
	explosive vapour/air mixtures. Closed containers can burst violently when
	heated, due to excess pressure build-up. During fire, gases hazardous to health
	may be formed.

5.3. Advice for firefighters

Personal protective equipment	Wear necessary protective equipment. For personal protection, see section 8.
Fire fighting procedures	Reference is made to the company fire procedure. If risk of water pollution occurs, notify appropriate authorities. Water spray may be used to flush spills away from exposures and dilute spills to non-flammable mixtures. Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures	Wear necessary protective equipment. For personal protection, see section 8. Do
	not smoke or use open fire, or other sources of ignition.

6.2. Environmental precautions

Environmental precautionary	Avoid discharge into water courses or onto the ground. Contact local authorities
measures	in case of spillage to drain/aquatic environment.

6.3. Methods and material for containment and cleaning up

Cleaning method Smaller quantities of residue may be collected by an absorbent. Dam and absorb spillages with sand, earth or other non-combustible material. Wash contaminated area with water.

6.4. Reference to other sections

Other instructions

See section 8 and section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid inhalation of vapours. Keep away from heat, sparks and open flame.

Protective safety measures

Advice on general occupational	Good personal hygiene is necessary. Wash hands and contaminated areas with
hygiene	water and soap before leaving the work site.
	Eating, smoking and water fountains prohibited in immediate work area.
	Take off contaminated clothing and personal protective equipment before

Take off contaminated clothing and personal protective equipment before

entering an eating area..

7.2. Conditions for safe storage, including any incompatibilities

Storage	Store in tightly closed original container in a well-ventilated place. Do not store
	near heat sources or exposed to high temperatures.

Conditions for safe storage

Storage temperature	Value: -15 – 20 °C.
Storage stability	Durability: 36 months.

7.3. Specific end use(s)

Specific use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Ethanol	CAS No.: 64-17-5	Limit value (8 h) : 1000 ppm Limit value (8 h) : 1920 mg/ m ³	TWA Year: 2018
Propan-2-ol	CAS No.: 67-63-0	Limit value (8 h) : 200 ppm Limit value (8 h) : 490 mg/ m3	TWA Year: 2011

DNEL / PNEC

Substance	Ethanol
DNEL	Group: Consumer Route of exposure: Long-term oral (systemic) Value: 87 mg/kg bw/day Reference: ECHA
	Group: Professional Route of exposure: Acute inhalation (local) Value: 1900 mg/m ³ Reference: ECHA
	Group: Professional Route of exposure: Long-term dermal (systemic) Value: 343 mg/kg bw/day Reference: ECHA
	Group: Professional Route of exposure: Long-term inhalation (systemic) Value: 950 mg/m ³ Reference: ECHA
	Group: Consumer Route of exposure: Long-term inhalation (systemic) Value: 114 mg/m ³ Reference: ECHA

	Group: Consumer Route of exposure: Acute inhalation (local) Value: 950 mg/m ³ Reference: ECHA Group: Consumer Route of exposure: Long-term dermal (systemic) Value: 206 mg/kg bw/day Reference: ECHA
PNEC	Route of exposure: Sediment Value: 2,9 mg/L
	Route of exposure: Water Value: 0,96 mg/L
	Route of exposure: Water Value: 0,79 mg/L
	Route of exposure: Water Value: 2,75 mg/L
	Route of exposure: Sewage treatment plant STP Value: 580 mg/L
	Route of exposure: Sediment Value: 3,6 mg/kg sediment dw
	Route of exposure: Soil Value: 0,63 mg/kg soil dw Reference: ECHA
Substance	Propan-2-ol
DNEL	Group: Consumer Route of exposure: Long-term inhalation (systemic) Value: 89 mg/m ³ Reference: ECHA
	Group: Professional Route of exposure: Long-term dermal (systemic) Value: 888 mg/kg bw/day Reference: ECHA
	Group: Professional Route of exposure: Long-term inhalation (systemic) Value: 500 mg/m ³ Reference: ECHA
	Group: Consumer Route of exposure: Long-term dermal (systemic) Value: 319 mg/kg bw/day Reference: ECHA
	Group: Consumer Route of exposure: Long-term oral (systemic) Value: 26 mg/kg bw/day

PNEC

Reference: ECHA

Route of exposure: Sewage treatment plant STP Value: 2251 mg/l

Route of exposure: Soil Value: 25 mg/kg

Route of exposure: Freshwater Value: 140,9 mg/l

Route of exposure: Saltwater sediments Value: 552 mh/kg

Route of exposure: Freshwater sediments Value: 552 mg/kg

Route of exposure: Saltwater Value: 140,9 mg/l

Value: 140,9 Reference: Intermittent releases

8.2. Exposure controls



Precautionary measures to prevent exposure

Technical measures to prevent exposure	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye / face protection	
Suitable eye protection	Eye protection is not required under normal conditions.
Hand protection	
Skin- / hand protection, long term contact	Protective gloves are recommended. Use protective gloves made of: Nitrile. ≥ 0,4 mm EN 374.
Breakthrough time	Value: ≥ 480 minute(s)
Hand protection, comments	Manufacturer's directions for use should be observed because of great diversity of types. The recommendation is a qualified estimate based on knowledge of the components.

Skin protection

Additional skin protection	No special precautions.
measures	

Respiratory protection

Respiratory protection necessary Under normal conditions of use respiration protection should not be required. at

Thermal hazards

Thermal hazards

See section 5.

Appropriate environmental exposure control

Environmental exposure controls See section 6.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	wet wipes
Colour	Colourless.
Odour	Odour of alcohol.
Odour limit	Comments: No data recorded.
рН	Status: In aqueous solution Comments: No data recorded.
Melting point / melting range	Comments: Not relevant.
Boiling point / boiling range	Comments: Not relevant.
Flash point	Value: < 22 °C Comments: Fire hazard classification: II-2.
Evaporation rate	Comments: Not relevant.
Flammability	Not relevant.
Explosion limit	Comments: Not relevant.
Vapour pressure	Comments: Not relevant.
Vapour density	Comments: Not relevant.
Relative density	Value: ~ 0,80 kg/l
Solubility	Comments: Completely soluble in water.
Partition coefficient: n-octanol/ water	Comments: Not relevant.
Auto-ignition temperature	Comments: Not relevant.
Decomposition temperature	Comments: Not relevant.
Viscosity	Value: < 50 mPa s
Explosive properties	Not explosive.
Oxidising properties	Does not meet the criteria for oxidising.

9.2. Other information

9.2.2. Other safety characteristics

Comments
Commenta

No data recorded.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No specific re

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See section 10.4 and section 10.5.

10.4. Conditions to avoid

Conditions to avoid Avoid h

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Stærke oxidations- og reduktionsmidler.

10.6. Hazardous decomposition products

Hazardous decomposition products	During fire, toxic gases (CO, CO2) are formed.

Other information

Other information No data recorded.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance	Ethanol
Acute toxicity	Type of toxicity: Acute Effect tested: LD50 Route of exposure: Oral Value: 10470 mg/kg Animal test species: Rat Test reference: OECD Guideline 401
	Type of toxicity: Acute Effect tested: LC50 Route of exposure: Inhalation. Duration: 4 hour(s) Value: 117 -125 mg/L

	Animal test species: Rat Test reference: OECD Guideline 401
Substance	Propan-2-ol
Acute toxicity	Type of toxicity: Acute Effect tested: LD50 Route of exposure: Oral Value: 5840 mg/kg Animal test species: Rat Test reference: OECD Guideline 401 Comments: ECHA
	Type of toxicity: Acute Effect tested: LC50 Route of exposure: Inhalation. Duration: 6 hour(s) Value: > 10000 ppm Animal test species: Rat Test reference: OECD Guideline 403 Comments: ECHA
	Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Duration: 24 hour(s) Value: 16,4 ml/kg Animal test species: Rabbit Test reference: OECD Guideline 402 Comments: ECHA
Other toxicological data	Toxicological tests on the product has not been performed.

Other information regarding health hazards

Assessment of acute toxicity, classification	No evidence for acute toxicity.
Substance	Propan-2-ol
Eye damage or irritation, test results	Toxicity type: Eye irritation Method: OECD 405 Species: Rabbit Evaluation result: Result: Irritation to eye.
Inhalation	In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.
Skin contact	May cause defatting of the skin, but is not an irritant.
Eye contact	Splashes will irritate and cause redness and pain.
Ingestion	Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhoea.
Sensitisation	No evidence for respiratory nor skin sensitization.
Assessment of germ cell mutagenicity, classification	No evidence for germ cell mutagenicity.

Assessment of carcinogenicity, classification	No evidence for carcinogenicity.
Assessment of reproductive toxicity, classification	No evidence for reproductive toxicity.
Assessment of specific target organ toxicity - single exposure, classification	No evidence for STOT-single exposure.
Assessment of specific target organ toxicity - repeated exposure, classification	No evidence for STOT-repeated exposure.
Assessment of aspiration hazard, classification	No evidence for aspiration hazard.

11.2 Other information

Endocrine disruption

No evidence for endocrine disrupting properties.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Propan-2-ol
Aquatic toxicity, fish	Value: 8970 – 9280 mg/l Test duration: 48 hour(s) Species: Leuciscus idus melanotus Method: LC50
Substance	Propan-2-ol
Aquatic toxicity, algae	Value: 1800 mg/l Test duration: 8 day(s) Species: Scenedesmus quadricauda Method: TGK
Substance	Propan-2-ol
Aquatic toxicity, crustacean	Value: 9715 mg/l Test duration: 24 hour(s) Species: Daphnia magna Method: LC50
Ecotoxicity	The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

Persistence and degradability description/evaluation	The product is easily biodegradable.
Substance	Propan-2-ol
Biodegradability	Value: 95 % Method: OECD 301E Test period: 21 day(s)

12.3. Bioaccumulative potential

Bioaccumulation, evaluation

The product is not bioaccumulating.

12.4. Mobility in soil

Mobility

The product is miscible with water. May spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB Not Classified as PBT/vPvB by current EU criteria. assessment

12.6. Endocrine disrupting properties

Endocrine disrupting properties No evidence for endocrine disrupting properties.

12.7. Other adverse effects

Additional ecological information No information.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point. Dispose of waste and residues in accordance with local authority requirements
Appropriate methods of disposal for the contaminated packaging	Dispose unused product and the packaging in accordance with local requirements.
EWC waste code	EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics Classified as hazardous waste: Yes
EWL packing	EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics Classified as hazardous waste: Yes
Other information	When handling waste, consideration should be made to the safety precautions applying to handling of the product. Waste code applies to product remnants in pure form.

Dangerous goods	Yes	
14.1. UN number		
ADR/RID/ADN	3175	
IMDG	3175	
ICAO/IATA	3175	

14.2. UN proper shipping name

Proper shipping name English ADR/RID/ADN	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/Danger releasing substance English ADR/RID/ADN	Ethanol, Isopropanol

ADR/RID/ADN	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/danger releasing substance ADR/RID/ADN	Ethanol, Isopropanol
IMDG	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/danger releasing substance IMDG	Ethanol, Isopropanol
ICAO/IATA	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name/danger releasing substance ICAO/IATA	Ethanol, Isopropanol

14.3. Transport hazard class(es)

ADR/RID/ADN	4.1
Classificaton code ADR/RID/ADN	F1
IMDG	4.1
ICAO/IATA	4.1

14.4. Packing group

ADR/RID/ADN	П
IMDG	П
ICAO/IATA	II

14.5. Environmental hazards

IMDG Marine pollutant No

14.6. Special precautions for user

Special safety precautions for user	Not relevant.
-------------------------------------	---------------

14.7. Maritime transport in bulk according to IMO instruments

Product name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
--------------	--

Additional information

Hazard label ADR/RID/ADN	4.1
Hazard label IMDG	4.1
Hazard label ICAO/IATA	4.1

ADR/RID Other information

Tunnel restriction code	E
Transport category	2
Hazard No.	40

IMDG Other information

EmS

F-A, S-I

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Other label information	For professional users only. As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Biocides	Yes
Legislation and regulations	The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/ 93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/ 769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). EH40/2005, Workplace exposure limits 2005, with amendments. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents. REGULATION (EU) No 528/ 2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents. REGULATION (EU) No 528/ 2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal products.

15.2. Chemical safety assessment

Chemical safety assessment No performed

SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Training advice	No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Information added, deleted or revised	Relevant changes compared to the previous version of the safety data sheet are indicated with verticle lines in the left margin.
Version	2
Prepared by	MP